Certificate Number Report Reference Date	UL-US-L497874-11-32309102-1 E497874-20190323 6-May-2021
Issued to:	Ariel Technology Inc 1111 Gorham St, Unit 9 Newmarket , ON, Canada L3Y 8X8
This is to certify that representative samples of	FTTA - Environmental-rated Accessories for Enclosures See Addendum Page for Product Designation(s).
	Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 508, 18th Ed., Issue Date: 2018-03-30
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

+ mally ĸ

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Certificate Number Report Reference Date UL-US-L497874-11-32309102-1 E497874-20190323 6-May-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Series FTEC, followed by 10, 16, 20, 26, or 32 followed by "L" for RAL 7035, "D" for RAL 7032, "B" for RAL 9011, or "O" for optional color, followed by "4" for IP 54 and "5' for IP 55, followed by "X" for Type 1 and 12 Environmental Ratings or "Z" for Type 3R Environmental Rating, followed by "-", followed by "115", "230","440" "12D", "24D" or "48D" for operational voltages, followed by "S" or "R" for air flow direction, followed by "B" or "S" for bearing type, followed by "S", "M", "B", "G", or "Blank" for fan size	Fan filter kits
Series FTEC, followed by 10, 16, 20, 26, or 32 followed by "L" for RAL 7035, "B" for RAL 9011, "D" for RAL 7032, or "O" for optional color, followed by "4" for IP 54 and "5' for IP 55, followed by "X" for Type 1 and 12 Environmental Ratings or "Z" for Type 3R Environmental Rating	Exhaust filter kits

Bamples

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Certificate Number Report Reference Date	UL-CA-L497874-31-32309102-1 E497874-20190323 6-May-2021
Issued to:	Ariel Technology Inc 1111 Gorham St, Unit 9 Newmarket , ON, Canada L3Y 8X8
This is to certify that representative samples of	FTTA7 - Environmental-rated Accessories for Enclosures Certified for Canada See Addendum Page for Product Designation(s).
	Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Bamples

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Certificate Number Report Reference Date UL-CA-L497874-31-32309102-1 E497874-20190323 6-May-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Series FTEC, followed by 10, 16, 20, 26, or 32 followed by "L" for RAL 7035, "D" for RAL 7032, "B" for RAL 9011 or "O" for optional color, followed by "4" for IP 54 and "5' for IP 55, followed by "X" for Type 1 and 12 Environmental Ratings or "Z" for Type 3R Environmental Rating, followed by "-", followed by "115", "230", "440", "12D", "24D" or "48D" for operational voltages, followed by "S" or "R" for air flow direction, followed by "B" or "S" for bearing type, followed by "S", "M", "B", "G", or "Blank" for fan size	Fan filter kits
Series FTEC, followed by 10, 16, 20, 26, or 32 followed by "L" for RAL 7035, "B" for RAL 9011, "D" for RAL 7032, or "O" for optional color, followed by "4" for IP 54 and "5' for IP 55, followed by "X" for Type 1 and 12 Environmental Ratings or "Z" for Type 3R Environmental Rating	Exhaust filter kits

Bamples

Bruce Mahrenholz, Director North American Certification Program

UL LLC

